WIRING
ACCESSORIES



# LISSE

Schneider Electric




GGBL1012

# Curves in all the right places...

**The Lisse white moulded range of wiring accessories offers the perfect blend of style and performance.**

You no longer have to choose between convenience and efficiency, or compromise on appearance to get the most innovative features. Lisse is packed with a vast array of technical features, providing a high level of quality, reliability and value you can count on.

- Ideally suited for new construction and refurbishment projects
- Future-proofed to cater for the latest demands in consumer technology
- Made from durable, high quality urea with antimicrobial properties
- Cleverly designed to ensure that product ordering is simple and efficient, with many time and space saving solutions
- Crafted with your customer in mind, adding bespoke solutions to make a lasting impact

# From all angles.

No matter how you look at it - from the front, back, or side - the Lisse range is designed to make your life simpler. Get installation right the first time, every time.



Backed out and captive screw terminals to allow for positive drive and speed of installation

Twin earth terminals on all 2 gang 13A socket outlets, for high integrity earthing

Angled terminals for easier access

Light grey back moulding colour for easier terminal identification

Cable markings on all products with a moulded template to check the wire length

Minimum back projection frees up space in the back box for cabling

One and two gang spacers
available for added installation depth



Gently rounded rockers to
compliment the curved profile

Optional LED status indicator,
which simply & securely clips into
the back of the plate

Two sets of screw cap
covers for a sleek finish

Large plate footprint provides
extra strength and reduces the
need for additional decorating



GGBL3020D

7mm raised edge profile offers easy
installation for new builds and retrofits

# Tailored to meet your needs...

**Lisse has been cleverly designed to ensure that product ordering is simple and efficient, with many time and space saving solutions.**

With indication or without? With flex outlet or without? Lisse simplifies the decision with standard, core part references and optional adaptations to suit individual installation requirements. What does this mean for you? Faster ordering, fewer part references, and greater flexibility for future upgrades.



GGBL2010,
GGBLSIND

## A tidy solution

Optional LED status indicators and flex outlet frames offer the flexibility you need on site and in the warehouse, without having to hold stock variations of the same product. This also ensures you always have the right product, exactly when you need it.



GGBL5010,
GGBLSPC1FO

## More space

Off to your next remodel or refurbishment? Avoid the time and cost needed to replace old back boxes for your new accessories. One and two gang spacers provide the perfect solution when extra installation depth is needed.



GGBL30202USBS, GGBLSHF2GS

## Wiring accessories become home accessories

The Lisse range includes several exclusive accessories that help to make your customer's lives simpler, convenient, and fun! Recharging mobile phones or tablets is made easy with the 2 gang shelf frame for Lisse sockets. Plus, they will never loose their keys or shopping lists again with Lisse hook or clip frames.



# Simply beautiful

**The smooth, modern lines of Lisse offer an understated elegance to compliment today's interiors. Not only that - every attention to detail has been paid to the design and construction, ensuring the range is built to make your installation faster, smoother, simpler...**



## Illuminating...

Enjoy the subtle but elegant illumination provided by Lisse LED indicators. This optional feature shines through the front plate moulding when additional location or power indication is needed. With its LED technology, you also can feel confident in the performance and longevity.

## Plug and play

Installation couldn't be easier or more flexible, as the LED indicators are simply clipped in to place via a purpose-built holding space on the back of the front plate and connected using the dedicated terminals.




GGBL2011



# Extended range

## for bespoke requirements

With such a comprehensive product range, Lisse white moulded allows you to find everything that you need to meet the demands of today's modern installations.

GGBL6012CS



GGBL6012LS



GGBL3020D4MP

## Dimming capability.

Enjoy a comprehensive selection of dimming solutions with Lisse white moulded, from mains & low voltage through to LED compatibility, as well as the addition of 1-10V control.

## Stay connected.

Help your customers stay connected to their TVs, game consoles, computers and sound systems with Lisse.

Choose from a full range of multimedia connectors, USB chargers and combination plates to meet all of your customers' needs.

# For every application.

From commercial offices and hotels to residential spaces, Lisse white moulded offers solutions ideally suited to the unique requirements of each installation.



GGBL3050NS



GGBL1022W



GGBL2010LS

## Non-standard plug and socket

In communal spaces where energy access needs to be controlled, the Lisse non-standard socket and accompanying plug offer the ideal solution

## Improving ease of use

Wide rocker switches and socket outlets with outboard rockers from the Lisse portfolio offer a practical alternative to improve the ease of operation

## Added safety and security

Provide peace of mind to a commercial installation or communal space with a lockable switch or socket, as unauthorised energy usage can be restricted



GGBL04G

## Grid solutions

In keeping with the sleek, rounded profile throughout the range, Lisse grid plates offer added functionality and flexibility to your installations. Slot headed screws, designed to suit the tools you have with you on site, make installation easier. Additionally, the accompanying mounting frames are provided with each grid front plate for simplified ordering



# A full clinical assessment

Schneider Electric have commissioned an external test to assess the resistance of Lisse white moulded wiring devices against:

- MRSA
- E-Coli
- Salmonella
- Klebsiella Penumoniae



GGBL3050

## The results:

| | |
|---|---|
| MRSA | **99.9% kill rate** |
| E-Coli | **97.5% kill rate** |
| Salmonella | **97.0% kill rate** |
| Klebsiella Pneumoniae | **99.4% kill rate** |

## Combined with the Schneider Electric cable management range, to provide you with a complete solution

Lisse wiring devices can be used seamlessly with the Ultimate or Cableline anti-microbial 3 compartment trunking system.

# Clear, useful packaging.

**Lisse packaging is offered in both point-of-sale and wholesale options, depending on your needs. Each option offers clear product information and descriptions, helping to minimise errors when preparing orders.**




## Point-of-sale / display packaging

- Clear descriptions, highlights and pictograms to inform and aid purchasing decisions
- Product reference easily identifiable
- Unobstructed view of front and back of product
- Simply add **S** suffix to wholesale reference




## Wholesale packaging

- Optimal dimensions for standard shelves to optimize use of shelf space
- Securely packaged to prevent movement inside the box
- Large, visible labels
- Easy to read in environments with low light levels

# Easy to understand part codes.

## Simple ideas...

Provide your customers the style and performance that they are looking for, whilst enjoying easier ordering with the Lisse range. Part codes follow a standard, straight forward methodology to save you time.

## ...with a simple part code structure

| | |
|---|---|
| 10 | Plate switches |
| 20 | 20AX switches & flex outlets |
| 30 | Sockets |
| 40 | 50A switches & 45A control units |
| 50 | Fused connection units |
| 60 | Dimmers |
| 70 | Shaver sockets & data communication |
| 80 | Blank plates |



# Product selector

| Product family | Description | Part codes | |
|---|---|---|---|
| | | Wholesale packaged | Point-of-sale / display packaged |
| Unswitched sockets  | 13A 1 gang | GGBL3050 | GGBL3050S |
| | 13A 2 gang | GGBL3060 | GGBL3060S |
| 1 gang switched sockets  | 13A 1 gang single-pole | GGBL3010 | GGBL3010S |
| | 13A 1 gang double-pole | GGBL3010D | GGBL3010DS |
| | 13A 1 gang single-pole non-standard | | GGBL3050NS |
| | 13A non-standard plug top | | GGBLTOP13ANS |
| Sockets with inboard rockers  | 13A 2 gang single-pole | GGBL3020 | GGBL3020S |
| | 13A 2 gang double-pole | GGBL3020D | GGBL3020DS |
| Sockets with outboard rockers  | 13A 2 gang double-pole | GGBL3030 | GGBL3030S |
| | 13A 1 to 2 gang convertor | GGBL30212DS | |
| Lockable socket  | 13A 1 gang double-pole | GGBL3060L | |
| Round pin sockets  | 2A 1 gang unswitched | GGBL3070 | |
| | 5A 1 gang unswitched | GGBL3080 | |
| | 5A 1 gang switched | GGBL3081 | |
| | 15A 1 gang switched | GGBL3090 | GGBL3090S |
| Wide rocker switches  | 16A 1 gang unswitched | GGBL1012W | GGBL1012WS |
| | 10AX 1 gang intermediate | GGBL1014W | GGBL1022WS |
| | 10AX 3 gang 2 way | GGBL1032W | GGBL1032WS |
| Plate switches  | 10AX 1 gang 1 way | GGBL1011 | GGBL1011S |
| | 10AX 1 gang 2 way | GGBL1012 | GGBL1012S |
| | 10A 1 gang 1 way retractive | GGBL1012R | GGBL1012RS |
| | 10A 1 gang 1 way retractive printed 'press' | GGBL1012RP | GGBL1012RPS |
| | 10A 1 gang 1 way retractive printed with bell symbol | GGBL1012RB | GGBL1012RBS |
| | 10A 3 pole fan isolator | GGBL1013 | GGBL1013S |
| | 10AX 1 gang 2 way & 10A 3 pole fan isolator | GGBL10131L | |

| Product family | Description | Part codes | |
|---|---|---|---|
| | | Wholesale packaged | Point-of-sale / display packaged |
| Plate switches  | 10A 3 pole fan isolator 10AX 1 gang 2 way | GGBL10131R | |
| | 10AX 1 gang intermediate | GGBL1014 | GGBL1014S |
| | 10AX 2 gang 2 way | GGBL1022 | GGBL1022S |
| | 10AX 3 gang 2 way | GGBL1032 | GGBL1032S |
| | 10AX 4 gang 2 way | GGBL1042 | GGBL1042S |
| Architrave switches  | 10AX 1 gang 2 way | GGBL1012A | GGBL1012AS |
| | 10AX 1 gang 2 way & 16mm pattress | | GGBL1012116AS |
| | 10A 1 gang 2 way retractive printed 'press' | GGBL1012ARP | |
| | 10AX 2 gang 2 way | GGBL1022A | |
| Dimmers  | 250W 1 gang 1 way | | GGBL6011CS |
| | 400W/VA 1 gang 2 way | | GGBL6012CS |
| | 1-10V 6A 1 gang 2 way | | GGBL6012V4S |
| | 100W/VA 1 gang 2 way LED | | GGBL6012LS |
| | 250W/VA 2 gang 1 way | | GGBL6022CS |
| | 1-10V 6A 2 gang 2 way | | GGBL6022V4S |
| | 100W/VA 2 gang 2 way LED | | GGBL6022LS |
| | 250W/VA 3 gang 2 way | | GGBL6032CS |
| | 1-10V 6A 3 gang 2 way | | GGBL6032V4S |
| | 250W/VA 4 gang 2 way | | GGBL6042CS |
| | 1-10V 6A 4 gang 2 way | | GGBL6042V4S |
| Double-pole control switches  | 20AX 1 gang | GGBL2010 | |
| | 20AX 1 gang lockable | | GGBL2010LS |
| | 20AX 1 gang with LED indicator | GGBL2011 | GGBL2011S |
| | 20AX 1 gang with LED indicator & flex outlet frame engraved 'water heater' | GGBL2014WH | |
| | 32A 1 gang with LED indicator | GGBL4030 | |
| | 50A 1 gang with LED indicator | GGBL4011 | GGBL4011S |
| | 50A 2 gang with LED indicator | GGBL4021 | GGBL4021S |
| | 20AX DP Sink Bath Switch with Neon<br><br>**Note:** Designed for the Irish market | GGBL2022IMR | |

**Note:** Engraved and printed products are available.

Optional LED indication can be added to the product

# Product selector

| Product family | Description | Part codes | |
|---|---|---|---|
| | | Wholesale packaged | Point-of-sale / display packaged |
| Fused connection units & flex outlet plate  | 25A side entry flex outlet plate | GGBL2033 | GGBL2033S |
| | 13A unswtiched | GGBL5000 | GGBL5000S |
| | 13A double-pole switched | GGBL5010 | |
| | 13A double-pole switched with LED indicator | GGBL5011 | |
| | 13A double-pole switched | | GGBL5013S |
| Cooker control units  | 45A double-pole cooker control unit with switched 13A socket & LED indicator | GGBL4001 | GGBL4001S |
| | 50A cooker connection unit | GGBL4050 | GGBL4050S |
| Shaver socket  | 115/230V dual voltage | GGBL7090 | GGBL7090S |
| Telephone & data outlets  | 1 gang 2 x USB charger outlets | GGBL70042 | GGBL70042S |
| | 1 gang 1 x RJ12 outlet | GGBL7051 | GGBL7051S |
| | 1 gang 1 x BT master | GGBL7061 | GGBL7061S |
| | 1 gang 1 x BT secondary | GGBL7062 | GGBL7062S |
| | 1 gang 1 x RJ45 Cat 5e UTP | GGBL7071C5 | GGBL7071C5S |
| | 1 gang 1 x RJ45 Cat 6 UTP | GGBL7071C6 | GGBL7071C6S |
| | 1 gang 2 x RJ45 Cat 5e UTP | GGBL7072C5 | GGBL7072C5S |
| | 1 gang 2 x RJ45 Cat 6 UTP | GGBL7072C6 | GGBL7072C6S |
| TV outlets | TV-R co-axial | GGBL7010 | GGBL7010S |
| | Diplex TV-R/DAB | GGBL7020 | GGBL7020S |
| | Satellite "F" Type | GGBL7030 | GGBL7030S |
| | Quadplex TV-R/DAB & 2 x SAT | GGBL7074 | GGBL7074S |
| | Quadplex RJ45 Cat 5 & TV return | GGBL707445510 | GGBL707445510S |
| | Quadplex RJ45 Cat 5 & RJ12 | GGBL707445511 | GGBL707445511S |
| | Quadplex BT secondary & TV return | GGBL70746110 | GGBL70746110S |
| | Triplex TV-R/DAB & SAT | GGBL7081 | GGBL7081S |
| | Triplex TV-R/DAB & RJ45 Cat 6 UTP | GGBL7081456 | GGBL7081456S |

| Product family | Description | Part codes | |
|---|---|---|---|
| | | Wholesale packaged | Point-of-sale / display packaged |
| Combination plate  | 2 x 2 gang 13A socket, 2 x 2 module euro outlets, Quadplex, BT secondary & TV return | GGBL3020D4MP | |
| Euro plates | 1 gang 1 module | GGBL8050 | |
| | 1 gang 2 module | GGBL8060 | |
| | 2 gang 4 module | GGBL8080 | |
| Euro modules - 25 x 50mm   | 2 x phono socket | GUE7000W | |
| | 2 x loudspeaker socket | GUE7001W | |
| | Single IEC coax (female) | GUE7011W | |
| | Single IEC coax (male) | GUE7012W | |
| | Single F type SAT | GUE7030W | |
| | RJ11 modem | GUE7051W | |
| | BT master | GUE7061W | |
| | BT slave | GUE7062W | |
| | RJ45 CAT5e (not screened) | GUE7071W | |
| | RJ45 CAT6 (not screened) | GUE7072W | |
| | Single 1A USB charger | GUE7073W | |
| | VGA | GUE7075W | |
| | Blank module | GUE8010W | |
| Euro modules - 50 x 50mm | TV/Radio diplex | GUE7010W | |
| | HDMI | GUE7020W | |
| | TV/SAT diplex | GUE7040W | |
| | Twin 2 x 1A USB charger | GUE7074W | |
| | TV/FM/SAT triplex | GUE7081W | |
| | TV/FM/SAT1/SAT2 quadplex | GUE7082W | |
| Grid plates  | 1 gang 88 x 88mm | GGBL01G | |
| | 2 gang 88 x 88mm | GGBL02G | |
| | 3 gang 88 x 148mm | GGBL03G | |
| | 4 gang 88 x 148mm | GGBL04G | |
| | 6 gang 156 x 156mm | GGBL06G | |
| | 8 gang 156 x 156mm | GGBL08G | |

**Note:** Engraved and printed products are available. Optional LED indication can be added to the product

| Product family | Description | Part codes | |
|---|---|---|---|
| | | Wholesale packaged | Point-of-sale / display packaged |
| Switch grid modules  | 10AX 2 way | GGBL102W | |
| | 10A 2 way retractive | GGBL102RW | |
| | 10A 2 way retractive & centre off | GGBL202OCW | |
| | 10AX intermediate | GGBL10IW | |
| | 20AX 1 way | GGBL201W | |
| | 20AX 2 way | GGBL202W | |
| | 20AX 2 way center off & on | GGBL2020W | |
| | 20AX double-pole | GGBL20DPW | |
| | 20AX double-pole with neon | GGBLG2011 | |
| Key switch grid modules  | 20AX 2 way | GGBL202KEPWPW | |
| | 20AX double-pole | GGBL20DPKWPW | |
| Supplementary grid modules   | 13A fuse carrier | GGBL13FCUWPW | |
| | USB charger | GGBLE7004 | GGBLE7004S |
| | Blank | GGBLBW | |
| Indicator grid modules  | Green neon | GGBLINDWG | |
| | Orange neon | GGBLINDWO | |
| | Red neon | GGBLINDWR | |
| Accessories & blank plates  | LED indicator | GGBLSIND | |
| | 1 gang illumination surround ** Product available from September 2015. | GGBLILL | GGBLILLS |
| | 1 gang spacer | GGBLSPC1 | GGBLSPC1S |
| | 2 gang spacer | GGBLSPC2 | GGBLSPC2S |
| | 1 gang flex outlet frame | GGBLSPC1FO | |
| | 1G Plate Switch Surround with Hook Wh | | GGBLH1GS |
| | 1G Plate Switch Surround with Clip Wh | | GGBLC1GS |
| | 2 gang surround with shelf | | GGBLSHF2GS |
| | 1 gang blank plate | GGBL8010 | GGBL8010S |
| | 2 gang blank plate | GGBL8020 | GGBL8020S |

| Product family | Description | Part codes | |
|---|---|---|---|
| | | Wholesale packaged | Point-of-sale / display packaged |
| Surface pattresses  | 1 gang 16mm | GGBL9116 | GGBL9116S |
| | 1 gang 16mm architrave | GGBL9116A | |
| | 1 gang 25mm | GGBL9125 | GGBL9125S |
| | 1 gang 40mm | GGBL9147 | GGBL9147S |
| | 2 gang 16mm architrave | GGBL9216A | |
| | 2 gang 25mm | GGBL9225 | GGBL9225S |
| | 2 gang 25mm dual | GGBL9D25 | GGBL9D25S |
| | 2 gang 40mm | GGBL9247 | GGBL9247S |

| Product family | Description | Part code - display packaged |
|---|---|---|
|  | 2 gang SP switched socket outlet with 2 x USB chargers<br>Can be installed in a 25mm mounting box without spacer | GGBL30202USBS NEW |
|  | 2 gang surround with shelf | GGBLSHF2GS |

**Note:** Engraved and printed products are available.

Optional LED indication can be added to the product

Life Is On
by Schneider Electric™

SE8927 FEB 2015

Schneider Electric Limited is a company registered in England and Wales.
Registered number: 1407228. Registered office: Stafford Park 5, Telford, Shropshire TF3 3BL.

© 2015 Schneider Electric. All Rights Reserved. Schneider Electric, Make the most of your energy and Lisse are owned by Schneider Electric Industries SAS, or its affiliated companies in the United States and other countries.

As standards, specifications and designs change from time to time, please ask for confirmation of the information given in this publication.